



Hover

PRODUCT

BROCHURE

About Hover

Hover Technologies headquartered in Karaj is a top-ranking smart home automation manufacturer specializing in research& development-design, production and marketing. With the goal of "becoming a leader in the global smart home industry" to realize the vision of "making life easier". We have rolled out the product shape in smart switches form since established in karaj fully committed to fulfilling home automation to make users access a smart and simple life.

Remote Control
کنترل از راه دور

Share Control
اشتراک گذاری

Single/Countdown Timing
تایمر برای هر ماژول

Power on State
وضعیت ماژول

History Operation Record
تاریخچه رکورد ها

Sync Status
همگام سازی وضعیت

LAN Control
کنترل تحت شبکه داخلی

Voice Control
کنترل صوتی

EN Multi-language Operation
پشتیبانی زبان های مختلف

Smart Scene
سناریو هوشمند

Inching Mode
حالت اینچ

Camera Feature
دوربین هوشمند

Interlocking
باشکوه

Self-Locking
شخصی سازی



eWeLink

Download on the
App Store


GET IT ON
Google Play

e support
Works with
everything



Android™ & iOS

works with alexa



works with Google Assistant



works with Alice



works with HUAWEI HiLink



works with



works with



works with SmartThings



Hey Siri



works with IFTTT



works with



works with



works with



CATALOGS

رله های هوشمند



DIY SMART SWITCHES

— 1

پریز هوشمند



SMART PLUGS

— 21

کلید هوشمند دیواری



SMART WALL SWITCHES

— 29

چراغ های هوشمند



SMART LIGHTING

— 39

امنیت هوشمند




SMART HOME SECURITY

— 53

رله هوشمند


DIY SMART SWITCHES DIY



DIY SMART SWITCHES

DIY

BASICR2



5

HARDWARE UPDATE

26

SOFTWARE UPDATE

300w

CUMULATIVE SALES IN 2019

BASICR2

Wi-Fi Smart Switch



Remote Control



Voice Control

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W
Gang	1-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	90x41x27mm
Weight	58g



DIY SMART SWITCHES

DIY

BASICR3

Wi-Fi Smart Switch with DIY Mode



Remote Control



Voice Control



DIY Mode

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W
Gang	1-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	94x45x30mm
Weight	64g



BASICZBR3



ZigBee DIY Smart Switch



Remote Control



Voice Control

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W
Gang	1-Gang
ZigBee	IEEE 802.15.4 2.4GHz
Material	PC V0
Box Size	94x45x30mm
Weight	65g



RFR2

Wi-Fi Smart Switch with RF Control



Remote Control
远程控制



RF Control
RF控制



Voice Control
语音控制

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W
Gang	1-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	90x41x27mm
Weight	59g



RFR3

Wi-Fi Smart Switch with DIY Mode & RF Control



Remote Control
远程控制



RF Control
RF控制



Voice Control
语音控制




DIY Mode
DIY模式

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W
Gang	1-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	94x45x30mm
Weight	65g



DIY SMART SWITCHES

DIY



Achieve Two-way Control
双路控制, 开关更方便

MINIR2

Wi-Fi Smart Switch with DIY Mode



Remote Control



Voice Control



DIY Mode

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W
Gang	1-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	48x30x46mm
Weight	43g



ZBMINI

ZigBee Smart Switch



Remote Control



Voice Control

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W
Gang	1-Gang
ZigBee	IEEE 802.15.4 2.4GHz
Material	PC V0
Box Size	48x30x46mm
Weight	42g

DIY SMART SWITCHES

DIY



TH10/16

Wi-Fi Smart Switch with Temp. & Hum. Monitoring



Temp. Monitoring



Hum. Monitoring

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W (TH10), 15A/3500W (TH16)
Gang	1-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	118x54x34mm
Weight	85g (TH10), 87g (TH16)



DUALR2

2-gang Wi-Fi Smart Switch



Remote Control



Voice Control



Interlock Mode

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W/gang, 15A/3500W/Total
Gang	2-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	118x54x34mm
Weight	90g



DUALR3

2-gang Wi-Fi Smart Switch



Remote Control



Voice Control



Power Monitoring

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W/gang, 15A/3300W/Total
Motor Load	1A/10-240W
Gang	2-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	61x50x32mm
Weight	75g



DIY SMART SWITCHES

DIY



POWR3

Wi-Fi Smart Switch with Energy Monitoring



Remote Control



Voice Control




Power Monitoring



Over-load Protection

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	25A/5500W
Gang	1-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	166x125x49mm
Weight	530g



POWR2

Wi-Fi Smart Switch with Power Monitoring



Remote Control



Voice Control




Power Monitoring

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	15A/3500W
Gang	1-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	118x54x34mm
Weight	86g

DIY SMART SWITCHES

DIY



4CHR3

4-gang Wi-Fi Smart Switch



Remote Control



Voice Control

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W/Gang 16A/3500W/Total
Gang	4-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	148x92x39mm
Weight	228g



4CHPROR3

4-gang Wi-Fi Smart Switch with RF Control



Remote Control



RF Control



Voice Control



Interlock Mode

Input	DC: 9-23V, AC: 100-240V 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/Gang, 40A/Total
Gang	4-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	148x92x39mm
Weight	241g

Matching accessories
(Refer to the accessory
series for details)

RM433R2

8-key 433MHz Remote Controller




RM433R2-BASE

433MHz Remote Controller Base



433 RF Controller

4-key 433MHz Remote Controller



DIY SMART SWITCHES

DIY



iFan04-L / H

Wi-Fi Smart Ceiling Fan with Light Controller



Remote Control



RF Control



Voice Control



Fan Speed Adjustment

Input	100-240V AC 50/60Hz 5A
Output	Light: 100-240V AC 50/60Hz 3A iFan04-L: (Tungsten lamp: 360W/120V, Max Led: 150W/120V Max) iFan04-H: (Tungsten lamp: 690W/230V, Max Led: 300W/230V Max) Fan: 100-240V AC 50/60Hz 2A Max
Gang	2-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	130x62x52mm
Weight	205g

Matching accessories
(Refer to the accessory
series for details)

RM433R2

8-key 433MHz Remote Controller



RM433R2-BASE

433MHz Remote Controller Base



DIY SMART SWITCHES

DIY



Micro

USB Smart Adapter



Remote Control



Voice Control

Input	5V $\overline{\text{---}}$
Output	5V $\overline{\text{---}}$ 2.5A
Gang	1-Gang
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	38x33x52mm
Weight	23g

DIY SMART SWITCHES

DIY



SlampherR2

Wi-Fi Smart Lamp Holder with RF Control



Remote Control



RF Control



Voice Control

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	2A/450W
Screw Base	E27
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	74x74x110mm
Weight	110g

Matching accessories
(Refer to the accessory
series for details)

RM433R2

8-key 433MHz Remote Controller




RM433R2-BASE

433MHz Remote Controller Base




433 RF Controller

4-key 433MHz Remote Controller



پریز هوشمند

SMART PLUGS



SMART PLUGS



S26

Wi-Fi Smart Plugs




Remote Control
远程控制




Voice Control
语音控制


Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	10A/2200W
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	102x58x75mm
Weight	118g (DE), 121g (FR), 127g (UK) 105g (US), 108g (AU), 112g (CN)




S26E
FR




S26F
DE



S26G
UK




S26L
IT



S26B
US




S26AI
CN




S26I
AU



S26N
BR



S26J
CH



S26H
IL

SMART PLUGS

S31

Wi-Fi Smart Plugs with Power Monitoring



Remote Control



Power Monitoring

Input	120V AC 60Hz
Output	120V AC 60Hz
Max. Load	15A/1800W
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	82x44x56mm
Weight	91g



S31 Lite

Wi-Fi Smart Plug



Remote Control
远程控制



Voice Control
语音控制

Input	120V AC 60Hz
Output	120V AC 60Hz
Max. Load	15A/1800W
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	82x44x56mm
Weight	91g



S31 Lite zb

ZigBee Smart Plug



Remote Control
远程控制



Voice Control
语音控制

Input	120V AC 60Hz
Output	120V AC 60Hz
Max. Load	15A/1800W
ZigBee	IEEE 802.15.4 2.4GHz
Material	PC V0
Box Size	82x44x56mm
Weight	89g




SMART PLUGS




S55 Wi-Fi Waterproof Smart Socket

- Remote Control
- Voice Control
- Waterproof


Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	US: 125V AC 50/60Hz 15A Max ZA:100-240V AC 50/60Hz 10A Max FR:100-240V AC 50/60Hz 16A Max DE:100-240V AC 50/60Hz 16A Max UK:100-240V AC 50/60Hz 13A Max AU:100-240V AC 50/60Hz 10A Max
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	92x73x84mm
Weight	239 (DE/FR) 240g (UK) 234g (US) 236g (AU), 237g (ZA)




S55TPI
AU




S55TPF
DE




S55TPE
FR



S55TPB
US




S55TPD
ZA



S55TPG
UK

کلید هوشمند دیواری

SMART WALL SWITCHES



SMART WALL SWITCHES



TX

Wi-Fi Smart Wall Switch EU Type



Remote Control




RF Control



Touch Control

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	1C: 2A/480W 2C: 2A/480W/Gang, 4A/960W/Total 3C: 1A/240W/Gang, 3A/720W/Total
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0 & Tempered glass panel
Box Size	95x95x42mm 178g (1C), 185g (2C), 185g (3C)



TX

Wi-Fi Smart Wall Switch UK Type



Remote Control




RF Control



Touch Control

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	1C: 2A/480W 2C: 2A/480W/Gang, 4A/960W/Total 3C: 2A/480W/Gang, 6A/1440W/Total
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0 & Tempered glass panel
Box Size	95x95x42mm 185g (1C), 193g (2C), 200g (3C)



TX

Wi-Fi Smart Wall Switch US Type



Remote Control




RF Control



Touch Control

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	1C: 2A/480W 2C: 2A/480W/Gang, 4A/960W/Total 3C: 2A/480W/Gang, 6A/1440W/Total
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0 & Tempered glass panel
Box Size	126x79x44mm 207g (1C), 217g (2C), 225g (3C)

SMART WALL SWITCHES



	T0	T1	T2	T3
433MHz	—	✓	✓	✓
1-gang	✓	✓	✓	✓
2-gang	✓	✓	✓	✓
3-gang	✓	✓	✓	✓
EU	 white	 white	 white	 black
UK	 white	 white	 white	 black
US	 white	—	 white	 black

SMART WALL SWITCHES

T2EU1C/2C/3C-RF

Stick-on Switch (Remote Controller)



RF Control
RF控制



Touch Control

Battery	3V x 2 (CR2032)
Wireless	433MHz
Material	PC V0 & Tempered glass panel
Box Size	88x89x18mm 96g (1C), 95g (2C), 98g (3C)



T2EU1C-RF




T2EU2C-RF



T2EU3C-RF

SMART WALL SWITCHES



IW100/101

Wi-Fi Smart Wall Socket & Switch US Type



Remote Control



Voice Control



Power Monitoring

Input	120V AC 60Hz
Output	120V AC 60Hz
Max. Load	15A/1800W
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	120x73x38mm
	118g (IW100), 109g (IW101)




IW100



IW101

چراغ هوشمند

SMART LIGHTING





Bright



Dark

D1

Wi-Fi Smart Dimmer Switch



Remote Control





RF Control



Stepless Dimming

Input	100-240V AC 50/60Hz
Output	100-240V AC 50/60Hz
Max. Load	200W/Incandescent Bulb 150W/Dimmable LED
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Box Size	65x52x36mm
Weight	45g



Matching accessories
(Refer to the accessory series for details)

RM433R2


8-key 433MHz Remote Controller



RM433R2-BASE

433MHz Remote Controller Base





L1-2M / 5M

Wi-Fi Smart LED RGB Light Strip



Color Picker



Music Reactive Mode



Waterproof




Flexible & Self-adhesive


Input	100-240V AC 50/60Hz
Output	12V DC 50/60Hz
Max. Load	2A/24W
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	ABS V0
Box Size	178x173x72mm
Weight	492g (2m), 593g (5m)



2M



5M



L1 Lite-5M-EU/US

Wi-Fi Smart LED RGB Light Strip



Voice Control



Music Reactive Mode



Flexible & Self-adhesive

Input	100-240V AC 50/60Hz
Output	12V DC 50/60Hz
Max. Load	2A/24W
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	ABS V0
Box Size	158x104x52mm 287g (EU), 283g (US)



B02-B-A60

Wi-Fi Smart LED Bulb



Remote Control



Voice Control



Stepless Dimming

Input	220-240V AC 50Hz
Screw Base	E27
CCT	2700K-6500K
Watt	9W
Lumen	806Lm
CRI	≥Ra80
ON/OFF Life	About 10000 hours
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz



B05-BL-A60

Wi-Fi Smart RGB LED Bulb



Remote Control



Voice Control



Stepless Dimming

Input	220-240V AC 50Hz
Screw Base	E27
CCT	2700K-6500K
Watt	9W
Lumen	806Lm
CRI	≥Ra80
ON/OFF Life	About 10000 hours
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz





B02-F-A60

Wi-Fi Smart LED Filament Bulb (Cyan)



Remote Control



Voice Control



Stepless Dimming

Input	220-240V AC 50Hz
Screw Base	E27
CCT	2200K-6500K
Watt	7W
Lumen	806Lm
CRI	≥Ra80
ON/OFF Life	About 15000 hours
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz



B02-F-ST64

Wi-Fi Smart LED Filament Bulb (Amber)



Remote Control



Voice Control




Stepless Dimming

Input	220-240V AC 50Hz
Screw Base	E27
CCT	1800K-5000K
Watt	7W
Lumen	700Lm
CRI	≥Ra80
ON/OFF Life	About 15000 hours
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz

امنیت هوشمند

SMART HOME SECURITY





GK-200MP2-B

Wi-Fi Wireless IP Security Camera



Two-way Audio



IR Night Vision

HD

1080P HD Images

Input	5V --- 1.2A
Resolution	1080P
Lens Aperture	F1.2
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	ABS V0
	TF Card (Max 128GB)
Box Size	116x116x103mm
Weight	326g



TPG-UK




TPB-US



TPI-AU



TPF-DE



SDCS2-64G



SDCS2-32G



RF BridgeR2

433MHz RF Bridge

Input	5V $\overline{\text{---}}$ 1A
Wireless	IEEE 802.11 b/g/n 2.4GHz & 433MHz
Material	PC V0
Box Size	64x64x23mm
Weight	45g



PIR3-RF

Motion Sensor


Distance	≤8m
Angle	100°
Battery	3V (CR2450)
Wireless	IEEE 802.11 b/g/n 2.4GHz & 433MHz
Material	PC V0
Box Size	38x33x42mm
Weight	21g



DW2-RF

RF Wireless Door/Window Sensor

Battery	AAA 1.5V
Working Voltage	DC 3V (2 x 1.5V Battery)
Wireless	433MHz
Material	PC V0
Weight	36g
Box Size	72x48x22.5mm



PIR3-RF

Motion Sensor

Distance	≤8m
Angle	100°
Battery	3V (CR2450)
Wireless	IEEE 802.11 b/g/n 2.4GHz & 433MHz
Material	PC V0
Box Size	38x33x42mm
Weight	21g





DW2 Wi-Fi

Wi-Fi Wireless Door/Window Sensor



Sync Status



Smart Scene

Battery	AAA 1.5V
Working Voltage	DC 3V (2 x 1.5V Battery)
Installation gap	<5mm
Wi-Fi	IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Dimension	70X31X19 mm (Transmitter) 42X14X16 mm (Magnet)
Weight	37g




ZB Bridge

Input	5V $\overline{\text{---}}$ 1A
Wireless	ZigBee: IEEE 802.15.4 2.4GHz Wi-Fi: IEEE 802.11 b/g/n 2.4GHz
Material	PC V0
Weight	35g
Box Size	64x64x23mm




SNZB-01 
Wireless Switch


Battery	3V (CR2450)
Wireless	ZigBee: IEEE 802.15.4 2.4GHz
Material	PC V0
Weight	25g
Box Size	45X19X49mm



SNZB-02 
Temperature and Humidity Sensor

Battery	3V (CR2450)
Wireless	ZigBee: IEEE 802.15.4 2.4GHz
Material	PC V0
Weight	15.5g
Box Size	45X19X49mm



SNZB-03 
Motion Sensor

Battery	3V (CR2450)
Wireless	ZigBee: IEEE 802.15.4 2.4GHz
Material	PC V0
Weight	19g
Box Size	38X33X52mm



SNZB-04 
Wireless Magnetic Door/Window Sensor

Battery	3V (CR2032)
Wireless	ZigBee: IEEE 802.15.4 2.4GHz
Material	PC V0
Weight	5.3g (Magnetic attraction) 18g (Sensor)
Box Size	45X19X49mm

YOUR SMART HOME CHOICE